



ტოიოტა ცენტრი ბათუმი
ბათუმი, ი. გაგარინის ქ. N1
+995 0422 24 60 06
www.toyota-batumi.ge



* ეს მონაცემები მიღებულია იდეალურ პირობებში ჩატარებული ტესტის შედეგად. მონაცემებზე განსაკუთრებით კი სანგავის ხარჯზე გააღწას ახდენს და ცვლის მართვის ესა და თუ ის მანერა, სანგავის ხარისხი, მოძრაობის რეჟიმი, მარშრუტი, დაბეჯითებული ავტომატიონის წონა, გზის მდგომარეობა, ამინდი და ა.შ. შესაბამისად, სანგავის რეალური ხარჯი შეიძლება განსხვავდებოდეს ცხრილში მოცემულისგან. ინტერიერის იერსახე და ტექნიკური მახასიათებლები შეიძლება იყოს შეცვლილი. პროდუქციის ხელმისაწვდომობა უნდა შემოწმდეს Toyota-ს ადგილობრივ ცენტრში. ამ პუბლიკაციის რაიმე ნაწილის რეპროდუცირება "Toyota Caucasus LLC"-ის წინასწარი წერილობითი თანხმობის გარეშე აკრძალულია. შენიშვნა: ამ ბროშურაში გამოყენებული ფოტოები და ტექნიკური მახასიათებლები შეიძლება განსხვავდებოდეს თქვენს რეგიონში ხელმისაწვდომი პროდუქციისგან.

** აქტიური უსაფრთხოების სისტემა, როგორიცაა მაგალითად T-Mate სისტემა, შექმნილია ტარების პროცესში მძღოლის დასახმარებლად. ვინაიდან გარე ფაქტორების ზემოქმედების გამო ყოველთვის არსებობს ალბათობა, რომ დამხმარე სისტემების მეშვეობით ვითარება ზუსტად ვერ იყოს აღქმული, მძღოლის მხრიდან არ უნდა ხდებოდეს რეაგირების მთლიანად მინდობა აღნიშნულ სისტემებზე.

მძღოლი მუდმივად უნდა აკონტროლებდეს ვითარებას ავტომობილის გარშემო და იცავდეს უსაფრთხოების ყველა ზომას.

T-Mate-ის ფუნქციონირება შესაძლოა შეფერხდეს იქნას გარკვეული გარე ფაქტორების ზემოქმედებით და შესაბამისად Toyota არ აგებს პასუხს სისტემის გამოყენებასთან დაკავშირებულ შედეგებზე.

TOYOTA COROLLA

P E T R O L

www.toyota-batumi.ge



სუფიქსი	XB	XB	YB	YC
ძრავა	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE
ძრავის მოცულობა (სმ³)	1598	1598	1598	1598
გადაცემათა კოლოფი	MT	CVT	CVT	CVT
წამყვანი თვლები	წინა	წინა	წინა	წინა
საწვავის ტიპი	ბენზინი	ბენზინი	ბენზინი	ბენზინი
ძრავის ტიპი	სტანდარტული	სტანდარტული	სტანდარტული	სტანდარტული
საწვავის ავზის ტევადობა (ლ)	50	50	50	50
საწვავის ხარჯი, კომბინირებული (ლიტრი/100კმ) *	6.7	6.7	6.7	6.7
მაქსიმალური სიმძლავრე (ცხ.ძ.)	121	121	121	121
მაქსიმალური ამძრაობა	153/5200	153/5200	153/5200	153/5200
მაქსიმალური სიმძლავრე (კვტ)	90	90	90	90
მაქსიმალური სიჩქარე	195	185	185	185
CO ₂ -ის ემისია, კომბინირებული	152	152	152	152
აჩქარება (0-100)	11	10.8	10.8	10.8
კლირენსი (მმ)	130	130	130	130
ბორბლებს შორის ბაზა (მმ)	2700	2700	2700	2700
გაბარიტები	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
დაუტვირთავი წონა (მინ)(კგ)	N/A	N/A	N/A	N/A
მთლიანი წონა (კგ)	1785	1805	1805	1805
გამონაბოლქვის ევრო სტანდარტი	Euro 6	Euro 6	Euro 6	Euro 6

ქსსფრიერი				
ძარის ფერი	ერთ ტონალობაში	ერთ ტონალობაში	ერთ ტონალობაში	ერთ ტონალობაში
დაბურული მინები	-	-	-	-
საქარე მინის გამწმენდი გათბობით	-	-	-	-
ჰალოგენური მაშუქები	+	+	+	+
მაშუქის მარეგულირებელი	მექანიკური	მექანიკური	მექანიკური	მექანიკური
წინა ნისლსაწინააღმდეგო მაშუქები	-	-	+	+
მაშუქის კონტროლ სისტემა	+	+	+	+
დღისით ანთებული მაშუქები (DRL)	+	+	+	+
უკანა კომბინირებული მაშუქი	+	+	+	+
უკანა ნისლსაწინააღმდეგო მაშუქები	+	+	+	+

გარე უკანა ხედვის სარკე

ელექტრონული; გათბობით

ელექტრონული; გათბობით

ელექტრონული; გათბობით

ავტომატურად კეცვადი; ელექტრონული; გათბობით

ინფორიერი				
საჭის სვეტი	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით
საჭე	3 ქიმიანი ურეთანის	3 ქიმიანი ურეთანის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის
შიდა უკანა ხედვის სარკე	დღის & ღამის	დღის & ღამის	დღის & ღამის	ელექტრონული სარკე
კომფორტი				
კრუიზ - კონტროლი	-	-	+	+
უკაბელო კარის ჩამკეტი	+	+	+	+
დაქოქვა	გადატრიალებით	გადატრიალებით	გადატრიალებით	გადატრიალებით
უსადენო დამტენი	-	-	-	-
უკანა მონიტორი	-	-	+	+
საგზაო ნიშნების ამომცნობი	-	-	-	-
A/C	ელექტრო მექანიკური	ელექტრო მექანიკური	ავტომატური	ავტომატური
აუდიო				
მულტი ინფორმაციული დისპლეი	7"	7	12.3"	12.3"
აქსესუარის კონექტორი	usb type c	usb type c	usb type c	usb type c

საპარძლეი				
სავარძლების მასალა	ქსოვილი	ქსოვილი	ქსოვილი	ქსოვილი
წინა სავარძლის ვერტიკალური რეგულირება	მძლოლი: 2 მხრივი მექანიკური	მძლოლი: 2 მხრივი მექანიკური	მძლოლი: 2 მხრივი მექანიკური	მძლოლი: 2 მხრივი მექანიკური
სავარძლის წელის საყრდენის მარეგულირებელი	-	-	-	-
სავარძლის გათბობა	-	-	-	-
ბავშვის სავარძლის სამაგრი	iso-fix2	iso-fix2	iso-fix2	iso-fix2
საბურავი & ღისპები				
საბურავი & დისკები	195/65r15	195/65r15	205/55r16 al-1	225/45r17
დისკის ხუფი	+	+	+	+
დამატებითი საბურავი	+	+	+	+
უზფოოპა / უსაფრთხოება				
ABS	+	+	+	+
VSC - მანქანის სტაბილურობის კონტროლი	+	+	+	+
TSS (Toyota Safety Sense) - უსაფრთხოების სისტემები	-	-	-	-
უსაფრთხოების ბალიშები	+	+	+	+
ქვეითთა დეტექტორი	+	+	+	+
ზოლში მოძრაობის დამხმარე სისტემა (LKA)	-	-	-	-

YD	YE	11	12	21 (GR-Sport)	22 (GR-Sport)
1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE
1598	1598	1598	1598	1598	1598
CVT	CVT	CVT	CVT	CVT	CVT
წინა	წინა	წინა	წინა	წინა	წინა
ბენზინი	ბენზინი	ბენზინი	ბენზინი	ბენზინი	ბენზინი
სტანდარტული	სტანდარტული	სტანდარტული	სტანდარტული	სტანდარტული	სტანდარტული
50	50	50	50	50	50
6.7	6.7	6.7	6.7	6.7	6.7
121	121	121	121	121	121
153/5200	153/5200	153/5200	153/5200	153/5200	153/5200
90	90	90	90	90	90
185	185	185	185	185	185
152	152	152	152	152	152
10.8	10.8	10.8	10.8	10.8	10.8
130	130	130	130	130	130
2700	2700	2700	2700	2700	2700
4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
N/A	N/A	N/A	N/A	N/A	N/A
1805	1805	1805	1805	1805	1805
Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6

ერთ ტონალობაში	ერთ ტონალობაში	ერთ ტონალობაში	ორ ტონალობაში	ერთ ტონალობაში	ორ ტონალობაში
-	-	-	-	-	-
-	-	+	+	-	-
+	+	+	+	+	+
მექანიკური	მექანიკური	მექანიკური	მექანიკური	მექანიკური	მექანიკური
+	+	+	+	+	+
+	+	+	+	+	+
+	+	+	+	+	+
+	+	+	+	+	+
ავტომატურად კეცვადი; ელექტრონული; გათბობით	ავტომატურად კეცვადი; ელექტრონული; გათბობით	ავტომატურად კეცვადი; ელექტრონული; გათბობით	ავტომატურად კეცვადი; ელექტრონული; გათბობით	ავტომატურად კეცვადი; ელექტრონული; გათბობით	ავტომატურად კეცვადი; ელექტრონული; გათბობით

ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით
3 ქიმიანი ტყავის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის
ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე

+	+	+	+	+	+
+	ჭკვიანი	ჭკვიანი	ჭკვიანი	ჭკვიანი	ჭკვიანი
გადატრიალებით	ლილაკით	ლილაკით	ლილაკით	ლილაკით	ლილაკით
-	+	+	+	+	+
+	+	+	+	+	+
+	+	+	+	+	+
ავტომატური	ავტომატური	ავტომატური	ავტომატური	ავტომატური	ავტომატური

12.3"	12.3"	12.3"	12.3"	12.3"	12.3"
usb type c	usb type c	usb type c	usb type c	usb type c	usb type c

ქსოვილი მძლოლი: 2 მხრივი მექანიკური	ქსოვილი მძლოლი: 2 მხრივი მექანიკური	კომბინირებული ტყავი მძლოლი: 2 მხრივი მექანიკური	კომბინირებული ტყავი მძლოლი: 2 მხრივი მექანიკური	GR Sport მძლოლის& მგზავრის: 2 მხრივი მექანიკური	GR Sport მძლოლის& მგზავრის: 2 მხრივი მექანიკური
-	+	+	+	+	+
-	+	+	+	+	+
iso-fix2	iso-fix2	iso-fix2	iso-fix2	iso-fix2	iso-fix2
225/45r17	225/45r17	225/45r17 r	225/45r17	სხვა სპეციფიკაცია(081)	სხვა სპეციფიკაცია(081)
+	+	+	+	+	+
+	+	+	+	+	+

+	+	+	+	+	+
+	+	+	+	+	+
tss 2	tss 2	tss 2	tss 2	tss 2	tss 2
+	+	+	+	+	+
+	+	+	+	+	+
+	+	+	+	+	+



TOYOTA CENTER BATUMI
1 Y. Gagarin Str. Batumi
+995 0422 24 60 06
www.toyota-batumi.ge



* These data were obtained under ideal conditions, excluding the effect of driving behavior, fuel used, mode of movement, route, the mass of the vehicle in running order, traffic, weather and other conditions that affect fuel consumption. Real fuel consumption may be different from the figures above.

Appearance and specifications are subject to change without notice. Availability of products should be checked with local Toyota sales network. No part of this publication may be reproduced, without prior written permission from Toyota Caucasus LLC.

Note: vehicles and accessories pictured and their specifications detailed in this brochure may vary from models and equipment available in your area.

** Active safety systems such as T-Mate are designed to assist the driver. The systems do not replace driver awareness and responsibility. Since there might be recognition inaccuracy caused by some external factors, drivers should not rely on the system too much. Drivers must be attentive to surrounding objects and observe the precautions while driving. T-Mate exploitation may be interfered because of external factors and Toyota is not responsible/liable for any consequences arising from use of the system.

TOYOTA COROLLA

PETROL

www.toyota-batumi.ge



GRADE	XB	XB	YB	YC
Engine	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE
Engine volume (cm³)	1598	1598	1598	1598
Transmission	MT	CVT	CVT	CVT
Drivetrain	FWD	FWD	FWD	FWD
Fuel Type	Petrol	Petrol	Petrol	Petrol
Fuel Tank volume (L)	50	50	50	50
Fuel Consumption (Combined l/100km)*	6.7	6.7	6.7	6.7
Max. Power Output (HP)	121	121	121	121
Max. Torque (Np/rpm)	153/5200	153/5200	153/5200	153/5200
Maximum output (kW)	90	90	90	90
Max speed km/h	195	185	185	185
CO₂ emission (combined)	152	152	152	152
Acceleration (0-100km/h)	11	10.8	10.8	10.8
Clearance (mm)	130	130	130	130
Wheelbase (mm)	2700	2700	2700	2700
Dimensions (L,W,H)	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
Kerb weight minimum (kg)	N/A	N/A	N/A	N/A
Kerb weight maximum (kg)	N/A	N/A	N/A	N/A
Gross weight (kg)	1785	1805	1805	1805
Euro emission level	Euro 6	Euro 6	Euro 6	Euro 6
Jack	with	with	with	with
EXTERIOR				
Body Colour	without	without	without	without
Windshield glass	green 70% / normal	green 70% / normal	green 70% / accoustic	green 70% / accoustic
Windshield deicer	without	without	without	without
Outside rear view mirror	electric, heater	electric, heater	electric, heater	auto fold, elec, heater
INTERIOR				
Steering column	tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock
Steering wheel	3-spoke urethane	3-spoke urethane	3-spoke leather	3-spoke leather
Parking brake	center lever	center lever	center lever + satin knob	center lever + satin knob
Inside rear view mirror	day & night	day & night	day & night	ec mirror
Sun visor	pvc (d/p: mirror)	pvc (d/p: mirror)	pvc (d/p: mirror)	pvc, lmp, dp-mr hld
Cup holder	fr:2/black	fr:2/black	fr:2 rr:2	fr:2 rr:2
Heater control panel	manual + satin	manual + satin	dual +satin	dual +satin
Steering wheel switches	disp (h) + tel + voice + audio	disp (h) + tel + voice + audio	disp(h)+t+v+a+cc	disp(h)+t+v+a+cc
CONVENIENCE				
Cruise control	without	without	ccs	ccs
Wireless door lock	with	with	with	with
Power windows	fr&rr 4 onetch up/dwn lo	fr&rr 4 onetch up/dwn lo	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi
Starting system	rotary	rotary	rotary	rotary
Wireless charger	without	without	without	without
Parking support alt/brake	without	without	without	without
Back monitor	without	without	camera + w/h	camera + w/h
Traffic sign recognition	without	without	without	without
AUDIO				
Multi info display	with (7")	with (7")	12.3"	12.3"
Audio	t1 (8) 6sp	t1 (8) 6sp	t1 (8) 6sp	t1 (8) 6sp
Audio jack	usb type c	usb type c	usb type c	usb type c
SEATS				
Front seat	normal	normal	normal	normal
Rear seat	6:4 split fold	6:4 split fold	6:4 split fold	6:4 split fold
Seat material	fabric a (basic)	fabric a (basic)	fabric b mid	fabric b mid
Front seat vertical adjuster	d: 2way manual	d: 2way manual	d: 2way manual	d: 2way manual
Seat lumbar support	without	without	without	without
Seat heater	without	without	without	without
Seat back pocket	without	without	with (driver + passenger)	with (driver + passenger)
Child restraint system	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)
TIRE & DISC WHEEL				
Tire & disc wheel	195/65r15 st rough sev	195/65r15 st rough sev	205/55r16 al-1 rough	225/45r17 rough al
Wheel cap	full cap 15 inch	full cap 15 inch	centre ornament (for alumi)	centre ornament (for alumi)
Spare tyre	ground tyre (steel wheel)	ground tyre (steel wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)
LIGHTS				
Illuminated entry system	with (room + map lamp)	with (room + map lamp)	with (room + map lamp)	with (ip tray & cup-h fr rr dr)
Headlamps	halogen	halogen	halogen	halogen
Headlamp levelling	manual	manual	manual	manual
Headlamp cleaner	without	without	without	without
Front fog lamps	without	without	with (paint)	with (plating)
Light control system	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position
Daytime running light system	with (exclusive)	with (exclusive)	with (exclusive)	with (exclusive)
Rear combination lamp	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)
High mount stop lamp	led cabin green	led cabin green	led cabin green	led cabin green
Rear fog lamp	with	with	with	with
Emergency brake lights	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential
SUSPENSION & OFFROAD				
ABS	with	with	with	with
VSC	with vsc(b)	with vsc(b)	with vsc(b)	with vsc(b)
Hill assist control (hac)	with (hac3)	with (hac3)	with (hac3)	with (hac3)
VENTILATION				
A/C	e-manual a/c	e-manual a/c	auto(dual)	auto(dual)
SAFETY				
Safety sense	without	without	without	without
SRS airbag	d+p (s)	d+p (s)	d+p (s) + side (fr)	d+p (s) + side (fr)
Occupant detection	p:seat sensor	p:seat sensor	p:seat sensor	p:seat sensor
Seat belt warning	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)
Tyre inflation pressure warning	with tpms without auto location	with tpms without auto location	with tpms without auto location	with tpms without auto location
Lane keep assist (LKA)	without	without	without	without

YD	YE	11	12	21 (GR-Sport)	22 (GR-Sport)
1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE	1ZR-FE
1598	1598	1598	1598	1598	1598
CVT	CVT	CVT	CVT	CVT	CVT
FWD	FWD	FWD	FWD	FWD	FWD
Petrol	Petrol	Petrol	Petrol	Petrol	Petrol
50	50	50	50	50	50
6.7	6.7	6.7	6.7	6.7	6.7
121	121	121	121	121	121
153/5200	153/5200	153/5200	153/5200	153/5200	153/5200
90	90	90	90	90	90
185	185	185	185	185	185
152	152	152	152	152	152
10.8	10.8	10.8	10.8	10.8	10.8
130	130	130	130	130	130
2700	2700	2700	2700	2700	2700
4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A
1805	1805	1805	1805	1805	1805
Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6
with	with	with	with	with	with
without	without	without	bi-tone	without	bi-tone
green 70% / accoustic	green 70% / accoustic	green 70% / accoustic	green 70% / accoustic	green 70% / accoustic	green 70% / accoustic
without	without	wiper deicer	wiper deicer	without	without
auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater
tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock	tilt&telesco,w/lock
3-spoke leather	3-spoke leather	3-spoke,leather,heater	3-spoke,leather,heater	3-spoke leather grs	3-spoke leather grs
center lever + satin knob	center lever + satin knob	center lever + satin knob	center lever + satin knob	center lever + satin knob	center lever + satin knob
ec mirror	ec mirror	ec mirror	ec mirror	ec mirror	ec mirror
pvc,lmp,dp-mr hld	pvc,lmp,dp-mr hld	pvc,lmp,dp-mr hld	pvc,lmp,dp-mr hld	grs pvc, lmp, dp-mr	grs pvc, lmp, dp-mr
fr:2 rr:2	fr:2 rr:2	fr:2 rr:2	fr:2 rr:2	fr:2 rr:2	fr:2 rr:2
dual +satin	dual +satin	dual +satin	dual +satin	dual +satin	dual +satin
disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda
high speed range acc	high speed range acc	high speed range acc	high speed range acc	high speed range acc	high speed range acc
with	smart (d+p+luggage)	smart (d+p+luggage)	smart (d+p+luggage)	smart (d+p+luggage)	smart (d+p+luggage)
fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi
rotary	push	push	push	push	push
without	with	with	with	with	with
without	fr,rr	fr,rr	fr,rr	fr,rr	fr,rr
camera + w/h	camera + w/h	camera + w/h	camera + w/h	camera + w/h	camera + w/h
with camera	with camera	with camera	with camera	with camera	with camera
12.3"	12.3"	12.3"	12.3"	12.3"	12.3"
t2 (8) 6sp	t2 (8) 6sp	t2 (8) 6sp	t2 (8) 6sp	t1 (8) 6sp	t1 (8) 6sp
usb type c	usb type c	usb type c	usb type c	usb type c	usb type c
normal	normal	normal	normal	grs sport	grs sport
6:4 split fold	6:4 split fold	6:4 split fold	6:4 split fold	6:4 split fold	6:4 split fold
fabric b mid	fabric b mid	combi leather (high)	combi leather (high)	grs seat cover	grs seat cover
d: 2way manual	d: 2way manual	d: 2way manual	d: 2way manual	d&p: 2 way manual	d&p: 2 way manual
without	with d (power)	with d (power)	with d (power)	with d (power)	with d (power)
without	with(d+p cushion & back)	with: fr+rr	with: fr+rr	with(d+p cushion & back)	with(d+p cushion & back)
with (driver + passenger)	with (driver + passenger)	with (driver + passenger)	with (driver + passenger)	with (driver + passenger)	with (driver + passenger)
iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)
225/45r17 rough al	225/45r17 rough al	225/45r17 rough al	225/45r17 rough al	other spec (081) used	other spec (081) used
centre ornament (for alumi)	centre ornament (for alumi)	centre ornament (for alumi)	centre ornament (for alumi)	grs ornament	grs ornament
ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)
with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)
halogen + ahb	halogen + ahb	bi led (hi)+ahb	bi led (hi)+ahb	halogen + ahb	halogen + ahb
manual	manual	manual	manual	manual	manual
without	without	with	with	without	without
with (plating)	with (plating)	with (plating)	with (plating)	with (paint) grs	with (paint) grs
alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position
with (exclusive)	with (exclusive)	with (exclusive)	with (exclusive)	with (exclusive)	with (exclusive)
led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)	led(stop/turn)+led(tail)	led(stop/turn)+led(tail)	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)
led cabin green	led cabin green	with (led/cabin), privacy	with (led/cabin), privacy	with (led/cabin), privacy	with (led/cabin), privacy
with	with	with	with	with	with
hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential
with	with	with	with	with	with
with vsc(b)	with vsc(b)	with vsc(b)	with vsc(b)	with vsc(b)	with vsc(b)
with (hac3)	with (hac3)	with (hac3)	with (hac3)	with (hac3)	with (hac3)
auto(dual)	auto(dual)	auto(dual)	auto(dual)	auto(dual)	auto(dual)
tss 2/ lss +2	tss 2/ lss +2	tss 2/ lss +2	tss 2/ lss +2	tss 2/ lss +2	tss 2/ lss +2
d+p (s) + side (fr)	d+p (s) + side (fr)	d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa
p:seat sensor	p:seat sensor	p:seat sensor	p:seat sensor	p:seat sensor	p:seat sensor
d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)
with tpms without auto location	with tpms without auto location	with tpms without auto location	with tpms without auto location	with tpms without auto location	with tpms without auto location
with (lda +sc)	with (lda +sc)	with (lda +sc)	with (lda +sc)	with (lda +sc)	with (lda +sc)



ტოიოტა ცენტრი ბათუმი
ბათუმი, ი. გაგარინის ქ. N1
+995 0422 24 60 06
www.toyota-batumi.ge



* ეს მონაცემები მიღებულია იდეალურ პირობებში ჩატარებული ტესტის შედეგად. მონაცემებზე განსაკუთრებით კი სანგავის ხარჯზე გააღწას ახდენს და ცვლის მართვის ესა და თუ ის მანერა, სანგავის ხარისხი, მოძრაობის რეჟიმი, მარშრუტი, დაბერებული ავტომატის წონა, გზის მდგომარეობა, ამინდი და ა.შ. შესაბამისად, სანგავის რეალური ხარჯი შეიძლება განსხვავდებოდეს ცხრილში მოცემულისგან. ინტერირის იერსახე და ტექნიკური მახასიათებლები შეიძლება იყოს შეცვლილი. პროდუქციის ხელმისაწვდომობა უნდა შემოწმდეს Toyota-ს ადგილობრივ ცენტრში. ამ პუბლიკაციის რაიმე ნაწილის რეპროდუცირება "Toyota Caucasus LLC"-ის წინასწარი წერილობითი თანხმობის გარეშე აკრძალულია. შენიშვნა: ამ ბროშურაში გამოყენებული ფოტოები და ტექნიკური მახასიათებლები შეიძლება განსხვავდებოდეს თქვენს რეგიონში ხელმისაწვდომი პროდუქციისგან.

** აქტიური უსაფრთხოების სისტემა, როგორიცაა მაგალითად T-Mate სისტემა, შექმნილია ტარების პროცესში მძღოლის დასახმარებლად. ვინაიდან გარე ფაქტორების ზემოქმედების გამო ყოველთვის არსებობს ალბათობა, რომ დამხმარე სისტემების მეშვეობით ვითარება ზუსტად ვერ იყოს აღქმული, მძღოლის მხრიდან არ უნდა ხდებოდეს რეაგირების მთლიანად მინდობა აღნიშნულ სისტემებზე.

მძღოლი მუდმივად უნდა აკონტროლებდეს ვითარებას ავტომობილის გარშემო და იცავდეს უსაფრთხოების ყველა ზომას.

T-Mate-ის ფუნქციონირება შესაძლოა შეფერხდეს იქნას გარკვეული გარე ფაქტორების ზემოქმედებით და შესაბამისად Toyota არ აგებს პასუხს სისტემის გამოყენებასთან დაკავშირებულ შედეგებზე.

TOYOTA COROLLA

H Y B R I D

www.toyota-batumi.ge



კომპლექტაცია	81	82
ძრავა	2ZR-FXE	2ZR-FXE
ძრავის მოცულობა (სმ³)	1798	1798
გადაცემათა კოლოფი	CVT	CVT
წამყვანი თვლები	წინა	წინა
საწვავის ტიპი	ბენზინი	ბენზინი
ძრავის ტიპი	ჰიბრიდი	ჰიბრიდი
საწვავის ავზის ტევადობა (ლ)	43	43
საწვავის ხარჯი, კომბინირებული (ლიტრი/100კმ) *	4.1	4.1
მაქსიმალური სიმძლავრე (ცხ.ძ.)	140	140
მაქსიმალური ამძრაობა	142/3600	142/3600
მაქსიმალური ამძრაობა HEV	185	185
მაქსიმალური სიჩქარე	180	180
CO ₂ -ის ემისია, კომბინირებული	93	93
აჩქარება (0-100)	9.3	9.3
კლირენსი (მმ)	130	130
ბორბლებს შორის ბაზა (მმ)	2700	2700
გაბარიტები	4630/1780/1435	4630/1780/1435
დაუტვირთავი წონა (მინ)(კგ)	N/A	N/A
მთლიანი წონა (კგ)	1835	1835
გამონაბოლქვის ევრო სტანდარტი	Euro 6	Euro 6
ექსტერიერი		
ძარის ფერი	ერთ ტონალობაში	ერთ ტონალობაში
გარე უკანა ხედვის სარკე	ელექტრონული; გათბობით	ელექტრონული; გათბობით
დაბურული მინები	-	-
ჰალოგენური მაშუქები	+	+
მაშუქის მარეგულირებელი	მექანიკური	მექანიკური
წინა ნისლსაწინააღმდეგო მაშუქები	+	+
მაშუქის კონტროლის სისტემა	+	+
დღისით ანთებული მაშუქები (DRL)	+	+
უკანა კომბინირებული მაშუქები	+	+
უკანა ნისლსაწინააღმდეგო მაშუქები	+	+
ინტერიერი		
საჭის სვეტი	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით
საჭე	3 ქიმიანი ურეთანის	3 ქიმიანი ურეთანის
შიდა უკანა ხედვის სარკე	ელექტრონული სარკე	ელექტრონული სარკე
კომფორტი		
კრუიზ - კონტროლი	+	+
უკაბელო კარის ჩამკეტი	ჭკვიანი	ჭკვიანი
დაქოქვა	ლილაკით	ლილაკით
უსადენო დამტენი	-	-
უკანა მონიტორი	-	+
A/C	ავტომატური	ავტომატური
აუდიო		
მულტი ინფორმაციული დისპლეი	7"	12.3"
დინამიკები	t1 (8) 6 დინამიკი	t1 (10.5") 6 დინამიკი
აქსესუარის კონექტორი	usb type c	usb type c
საპარკლეები		
სავარძლების მასალა	ქსოვილი	ქსოვილი
წინა სავარძლის ვერტიკალური რეგულირება	მძლოლი: 2 მხრივი მექანიკური	მძლოლი: 2 მხრივი მექანიკური
სავარძლის წელის საყრდენის მარეგულირებელი	-	-
სავარძლის გათბობა	-	-
ბავშვის სავარძლის სამაგრი	iso-fix2	iso-fix2
საბურავი & დისკები		
საბურავი & დისკები	195/65r15	205/55r16 al-1
დისკის ხუფი	+	+
დამატებითი საბურავი	+	+
უზგოობა / უსაფრთხოება		
ABS	+	+
VSC - მანქანის სტაბილურობის კონტროლი	+	+
TSS (Toyota Safety Sense) - უსაფრთხოების სისტემები	tss 3	tss 3
უსაფრთხოების ბალიშები	+	+
ქვეითთა დეტექტორი	+	+
საბურავებში წნევის კონტროლის სისტემა	+	+
ზოლში მოძრაობის დამხმარე სისტემა (LKA)	+	+

83	84	91 (GR-Sport)	92 (GR-Sport)
2ZR-FXE	2ZR-FXE	2ZR-FXE	2ZR-FXE
1798	1798	1798	1798
CVT	CVT	CVT	CVT
წინა	წინა	წინა	წინა
ბენზინი	ბენზინი	ბენზინი	ბენზინი
ჰიბრიდი	ჰიბრიდი	ჰიბრიდი	ჰიბრიდი
43	43	43	43
4.1	4.1	4.1	4.1
140	140	140	140
142/3600	142/3600	142/3600	142/3600
185	185	185	185
180	180	180	180
93	93	93	93
9.3	9.3	9.3	9.3
130	130	130	130
2700	2700	2700	2700
4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
N/A	N/A	N/A	N/A
1835	1835	1835	1835
Euro 6	Euro 6	Euro 6	Euro 6
ერთ ტონალობაში	ერთ ტონალობაში	ერთ ტონალობაში	ორ ტონალობაში
ელექტრონული; გათბობით	ელექტრონული; გათბობით	ელექტრონული; გათბობით	ელექტრონული; გათბობით
-	-	-	-
+	+	+	+
მექანიკური	მექანიკური	მექანიკური	მექანიკური
+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+
ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით	ტელესკოპური დახრის ფუნქციით
3 ქიმიანი ტყავის	3 ქიმიანი ტყავის	3 ქიმიანი ტყავის (grs)	3 ქიმიანი ტყავის (grs)
ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე	ელექტრონული სარკე
+	+	+	+
ჭკვიანი	ჭკვიანი	ჭკვიანი	ჭკვიანი
ლილაკით	ლილაკით	ლილაკით (grs)	ლილაკით (grs)
+	+	+	+
+	+	+	+
ავტომატური	ავტომატური	ავტომატური	ავტომატური
12.3"	12.3"	12.3"	12.3"
t1 (10.5") 6 დინამიკი	t1 (10.5") 6 დინამიკი	t1 (10.5") 6დინამიკი	t1 (10.5") 6დინამიკი
usb type c	usb type c	usb type c	usb type c
ქსოვილი	ქსოვილი	GR Sport	GR Sport
მძლოლი: 2 მხრივი მექანიკური	მძლოლი: 2 მხრივი მექანიკური	მძლოლის& მგზავრის: 2 მხრივი მექანიკური	მძლოლის& მგზავრის: 2 მხრივი მექანიკური
-	-	+	+
-	-	+	+
iso-fix2	iso-fix2	iso-fix2	iso-fix2
205/55r16 al-1	225/45r17	სხვა სპეციფიკაცია(081)	სხვა სპეციფიკაცია(081)
+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+
tss 3	tss 3	tss 3	tss 3
+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+



TOYOTA CENTER BATUMI
1 Y. Gagarin Str. Batumi
+995 0422 24 60 06
www.toyota-batumi.ge



* These data were obtained under ideal conditions, excluding the effect of driving behavior, fuel used, mode of movement, route, the mass of the vehicle in running order, traffic, weather and other conditions that affect fuel consumption. Real fuel consumption may be different from the figures above.

Appearance and specifications are subject to change without notice. Availability of products should be checked with local Toyota sales network. No part of this publication may be reproduced, without prior written permission from Toyota Caucasus LLC.

Note: vehicles and accessories pictured and their specifications detailed in this brochure may vary from models and equipment available in your area.

** Active safety systems such as T-Mate are designed to assist the driver. The systems do not replace driver awareness and responsibility. Since there might be recognition inaccuracy caused by some external factors, drivers should not rely on the system too much. Drivers must be attentive to surrounding objects and observe the precautions while driving. T-Mate exploitation may be interfered because of external factors and Toyota is not responsible/liable for any consequences arising from use of the system.

TOYOTA COROLLA

H Y B R I D

www.toyota-batumi.ge



GRADE	81	82
Engine	2ZR-FXE	2ZR-FXE
Engine volume (cm³)	1798	1798
Transmission	CVT	CVT
Drivetrain	FWD	FWD
Fuel Type	Petrol	Petrol
Fuel Tank volume (L)	43	43
Fuel Consumption (Combined l/100km)*	4.1	4.1
Hybrid combined output (hp)	140	140
Max. Torque (Np/rpm)	142/3600	142/3600
Max.Torque HEV	185	185
Max speed km/h	180	180
CO₂ emission (combined)	93	93
Acceleration (0-100km/h)	9.3	9.3
Clearance (mm)	130	130
Wheelbase (mm)	2700	2700
Dimensions (L,W,H)	4630/1780/1435	4630/1780/1435
Kerb weight minimum (kg)	N/A	N/A
Kerb weight maximum (kg)	N/A	N/A
Gross weight (kg)	1835	1835
Euro emission level	Euro 6	Euro 6
Jack	with	with
EXTERIOR		
Body Colour	without	without
Windshield glass	green 70% / accoustic	green 70% / accoustic
Outside rear view mirror	electric, heater	auto fold, elec, heater
INTERIOR		
Steering column	tilt&telesco,w/o lock	tilt&telesco,w/o lock
Steering wheel	3-spoke urethane	3-spoke leather
Parking brake	epb	epb
Inside rear view mirror	ec mirror	ec mirror
Sun visor	pvc,lmp,dp-mr hld	pvc,lmp,dp-mr hld
Cup holder	fr:2 rr:2	fr:2 rr:2
Heater control panel	dual +satin	dual +satin
Steering wheel switches	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda
CONVENIENCE		
Cruise control	full speed range acc	full speed range acc
Wireless door lock	smart entry less	smart entry less
Power windows	fr&rr 4 onetch up/dwn lo	fr&rr 4 onetch up/dwn hi
Starting system	push	push
Wireless charger	without	without
Parking support alt/brake	without	without
Back monitor	without	camera + w/h
AUDIO		
Multi info display	with (7")	12.3"
Audio	t1 (8) 6sp	t1 (10.5") 6sp
Audio jack	usb type c	usb type c
SEATS		
Front seat	normal	normal
Rear seat	6:4 split fold	6:4 split fold
Seat material	fabric a (basic)	fabric b mid
Front seat vertical adjuster	d: 2way manual	d: 2way manual
Seat lumbar support	without	without
Seat heater	without	without
Seat back pocket	without	with (driver + passenger)
Child restraint system	iso-fix2 top tether (2)	iso-fix2 top tether (2)
TIRE & DISC WHEEL		
Tire & disc wheel	195/65r15 rough st	205/55r16 al-1 rough
Wheel cap	full cap 15 inch	centre ornament (for alumi)
Spare tyre	ground tyre (steel wheel)	ground tyre (alloy wheel)
LIGHTS		
Illuminated entry system	with (room + map lamp)	with (room + map lamp)
Headlamps	halogen + ahb	halogen + ahb
Headlamp levelling	manual	manual
Front fog lamps	with (paint)	with (paint)
Light control system	alc + fmh 3 position	alc + fmh 3 position
Daytime running light system	with (exclusive)	with (exclusive)
Rear combination lamp	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)
High mount stop lamp	led cabin green	led cabin green
Rear fog lamp	with	with
Emergency brake lights	hazard w/o rr sequential	hazard w/o rr sequential
SUSPENSION & OFFROAD		
ABS	with	with
VSC	with i-booster	with i-booster
Hill assist control (HAC)	with (hac3)	with (hac3)
VENTILATION		
A/C	auto(dual)	auto(dual)
SAFETY		
Safety sense	tss 3 /lss +3	tss 3 /lss +3
SRS airbag	d+p (s) + side (fr)	d+p (s) + side (fr) + csa
Occupant detection	p:seat sensor	p:seat sensor
Seat belt warning	d+p (lamp+buzzer)	d+p (lamp+buzzer)
Tyre inflation pressure warning	with (434mhz) autolocation	with (434mhz) autolocation
Lane keep assist (lka)	lta+edss	lta+edss
Seat belt warning	d+p (lamp+buzzer)	d+p (lamp+buzzer)
Tyre inflation pressure warning	with tpms without auto location	with tpms without auto location
Lane keep assist (LKA)	without	without

83	84	91 (GR-Sport)	92 (GR-Sport)
2ZR-FXE	2ZR-FXE	2ZR-FXE	2ZR-FXE
1798	1798	1798	1798
CVT	CVT	CVT	CVT
FWD	FWD	FWD	FWD
Petrol	Petrol	Petrol	Petrol
43	43	43	43
4.1	4.1	4.1	4.1
140	140	140	140
142/3600	142/3600	142/3600	142/3600
185	185	185	185
180	180	180	180
93	93	93	93
9.3	9.3	9.3	9.3
130	130	130	130
2700	2700	2700	2700
4630/1780/1435	4630/1780/1435	4630/1780/1435	4630/1780/1435
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
1835	1835	1835	1835
Euro 6	Euro 6	Euro 6	Euro 6
with	with	with	with
without	without	without	bi-tone
green 70% / accoustic	green 70% / accoustic	green 70% / accoustic	green 70% / accoustic
auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater	auto fold, elec, heater
tilt&telesco,w/o lock	tilt&telesco,w/o lock	tilt&telesco,w/o lock	tilt&telesco,w/o lock
3-spoke leather	3-spoke leather	3-spoke leather grs	3-spoke leather grs
epb	epb	epb	epb
ec mirror	ec mirror	ec mirror	ec mirror
pvc,lmp,dp-mr hld	pvc,lmp,dp-mr hld	grs pvc, lmp, dp-mr	grs pvc, lmp, dp-mr
fr:2 rr:2	fr:2 rr:2	fr:2 rr:2	fr:2 rr:2
dual +satin	dual +satin	dual +satin	dual +satin
disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda	disp (h) + tel + voice + audio + acc + lda
full speed range acc	full speed range acc	full speed range acc	full speed range acc
smart (d+p+luggage)	smart (d+p+luggage)	smart (d+p+luggage)	smart (d+p+luggage)
fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi	fr&rr 4 onetch up/dwn hi
push	push	push for grs	push for grs
with	with	with	with
fr,rr	fr,rr	fr,rr	fr,rr
camera + w/h	camera + w/h	camera + w/h	camera + w/h
12.3"	12.3"	12.3"	12.3"
t1 (10.5") 6sp	t1 (10.5") 6sp	t1 (10.5") 6sp	t1 (10.5") 6sp
usb type c	usb type c	usb type c	usb type c
normal	normal	grs sport	grs sport
6:4 split fold	6:4 split fold	6:4 split fold	6:4 split fold
fabric b mid	fabric b mid	grs seat cover	grs seat cover
d: 2way manual	d: 2way manual	d&p: 2 way manual	d&p: 2 way manual
without	without	with d (power)	with d (power)
without	without	with(d+p cushion & back)	with(d+p cushion & back)
with (driver + passenger)	with (driver + passenger)	with (driver + passenger)	with (driver + passenger)
iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)	iso-fix2 top tether (2)
205/55r16 al-1 rough	225/45r17 rough al	other spec (081) used	other spec (081) used
centre ornament (for alumi)	centre ornament (for alumi)	grs ornament	grs ornament
ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)	ground tyre (alloy wheel)
with (room + map lamp)	with (room + map lamp)	with (ip tray & cup-h fr rr dr)	with (ip tray & cup-h fr rr dr)
halogen + ahb	halogen + ahb	halogen + ahb	halogen + ahb
manual	manual	manual	manual
with (paint)	with (plating)	with (paint) grs	with (paint) grs
alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position	alc + fmh 3 position
with (exclusive)	with (exclusive)	with (exclusive)	with (exclusive)
led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)	led (tail/stop) + bulb (turn)
led cabin green	led cabin green	led cabin green	led cabin green
with	with	with	with
hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential	hazard w/o rr sequential
with	with	with	with
with i-booster	with i-booster	with i-booster	with i-booster
with (hac3)	with (hac3)	with (hac3)	with (hac3)
auto(dual)	auto(dual)	auto(dual)	auto(dual)
tss 3 /lss +3	tss 3 /lss +3	tss 3 /lss +3	tss 3 /lss +3
d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa	d+p (s) + side (fr) + csa
p:seat sensor	p:seat sensor	p:seat sensor	p:seat sensor
d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)
with (434mhz) autolocation	with (434mhz) autolocation	with (434mhz) autolocation	with (434mhz) autolocation
lta+edss	lta+edss	lta+edss	lta+edss
d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)	d+p (lamp+buzzer)
with tpms without auto location	with tpms without auto location	with tpms without auto location	with tpms without auto location
with (lda +sc)	with (lda +sc)	with (lda +sc)	with (lda +sc)