




ტოიოტა ცენტრი ბათუმი
 ბათუმი, ი. გაგარინის ქ. N1
 +995 0422 24 60 06
 www.toyota-batumi.ge



* ეს მონაცემები მიღებულია იდეალურ პირობებში ჩატარებული ტესტის შედეგად. მონაცემებზე განსაკუთრებით კი სანჯაგის ხარვეზ გაელენას ასფენს და ცვლის მართვის ესა და თუ ის მანერა, სანჯაგის ხარისხი, მოძრაობის რეჟიმი, მარშრუტი, დაბეჭდვითი ავტომატის სიჩქარე, გზის მდგომარეობა, ამინდი და ა.შ. შესაბამისად, სანჯაგის რეალური ხარვეზი შეიძლება განსხვავდებოდეს ცხრილში მოცემულისგან. ინტერიერის იერსახე და ტექნიკური მახასიათებლები შეიძლება იყოს შეცვლილი. პროდუქციის ხელმისაწვდომობა უნდა შემოწმდეს Toyota-ს ადგილობრივ ცენტრში. ამ პუბლიკაციის რაიმე ნაწილის რეპროდუქცირება "Toyota Caucasus LLC"-ის წინასწარი წერილობითი თანხმობის გარეშე აკრძალულია. შენიშვნა: ამ ბროშურაში გამოყენებული ფოტოები და ტექნიკური მახასიათებლები შეიძლება განსხვავდებოდეს თქვენს რეგიონში ხელმისაწვდომი პროდუქციისგან.
 ** აქტიური უსაფრთხოების სისტემა, როგორცაა მაგალითად Toyota Safety Sense სისტემა, შექმნილია ტარების პროცესში მძღოლის დახმარებლად. ვინაიდან გარე ფაქტორების ზემოქმედების გამო ყოველთვის არსებობს ალბათობა, რომ დამხმარე სისტემების მეშვეობით ვითარება ზუსტად ვერ იყოს აღქმული, მძღოლის მხრიდან არ უნდა ხდებოდეს რეაქტივის მთლიანად მინდობა აღნიშნულ სისტემებზე.
 მძღოლი მუდმივად უნდა აკონტროლებდეს ვითარებას ავტომატის გარეშე და იცავდეს უსაფრთხოების ყველა ზომას.
 Toyota Safety Sense-ის ფუნქციონირება შესაძლოა შეფერხდეს იქნას გარკვეული გარე ფაქტორების ზემოქმედებით და შესაბამისად Toyota არ აგებს პასუხის სისტემის გამოყენებასთან დაკავშირებულ შედეგებზე.

TOYOTA HIGHLANDER

PETROL

www.toyota-batumi.ge
 toyotacenterbatumi

სუფიქსი	AD / AE	04 / 05
კომპლექტაცია	საშუალო	მაღალი
ძრავი	T24A-FTS	T24A-FTS
გადაცემათა კოლოფი	AT	AT
ძრავის ტიპი	TNGA 2.4L Turbo PTL	TNGA 2.4L Turbo PTL
ტრანსმისია	4X4	4X4
ძრავის მოცულობა (სმ³)	2393	2393
ემისიის დონე კომბინირებული	205	211
მაქს. სიმძლავრე (ცხ.ძ)	249	249
მაქსიმალური ბრუნვის მომენტი	420	420
ცილინდრების რაოდენობა	4 ცილინდრი	4 ცილინდრი
მაქსიმალური სიჩქარე	180	180
საწვავის ავზის ტევადობა	68	68
საწვავის მოხმარება (კომბ.)	9	9.2
ექსტერიერი		
ფარები	+	+
ფარების სანმენდი	+	+
წინა ნისლსაწინააღმდეგო მაშუქები	+	+
სინათლის კონტროლის სისტემა	+	+
დღის განათების სისტემა	+	+
კომბინირებული უკანა მაშუქები	+	+
ნისლსაწინააღმდეგო უკანა ფარები	+	+
უკანა ფანჯრის დაორთქვლის საწინააღმდეგო სისტემა	+	+
საბურავი	235/65r18m	235/55r20m
ალუმინის დისკები	+	+
სათადარიგო საბურავი	+	+
ინტერიერი		
სავარძლის გათბობა	+	+
წინა სავარძლის რეგულატორი	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია
მეორე რიგის სავარძლები	60:40:00	60:40:00
მესამე რიგის სავარძლები	+	+
სავარძლის მასალა	სინთეტიკური ტყავი	ტყავი (plt)
სავარძლის კონდიციონერი	-	+
სავარძლის წელის საყრდენი	+	+
კომფორტი		
მულტი ინფორმაციული დისპლეი	+	+
საჭე	3 ქიმიანი, ტყავით და გათბობით	3 ქიმიანი, ტყავით და გათბობით
საჭის სვეტი	მექანური, დახრის ფუნქციით და ტელესკოპური	მექანური, დახრის ფუნქციით და ტელესკოპური
კრუიზ კონტროლი	+	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე
უკანა ხედვის გარე სარკე	+	+

სუფიქსი	AD / AE	04 / 05
კომპლექტაცია	საშუალო	მაღალი
წინა კონდიციონერი	ავტომატური	ავტომატური
უკანა კონდიციონერი	ავტომატური	ავტომატური
უკანა მონიტორი	+	+
დაქოქვა	დილაკით	დილაკით
უსადენო დამტენი	+	+
საბურავის წნევის ინდიკატორი	+	+
მულტიმედია		
აუდიო სისტემა	+	JBL
აუდიო სისტემის მონიტორი	8" t1	12.3" t2
დინამიკები	6	11
აუდიო ჯეკი	usb	usb
აქსესუარების მაერთებელი	12v*2, charge-usb*2	12v*2, charge-usb*2
უზგოობა		
აღმართზე დაძვრის დამხმარე სისტემა (HAC)	+	+
უკანა დიფერენციალი	single-c	twin-c
უსაფრთხოება / T-MATE **		
უსაფრთხოების სისტემები	-	tss 2.5
ადაპტირებადი კრუიზ-კონტროლი (ACC)	+	+
SRS უსაფრთხოების ბალიშები	+	+
ზოლის შენარჩუნების დამხმარე სისტემა (lka)	-	+
ზოლის შეცვლის დამხმარე სისტემა	+	+
ავტომობილის სტაბილურობის კონტროლის სისტემა (VSC)	+	+
ABS	+	+





TOYOTA CENTER BATUMI
 1 Y. Gagarin Str. Batumi
 +995 0422 24 60 06
www.toyota-batumi.ge



* These data were obtained under ideal conditions, excluding the effect of driving behavior, fuel used, mode of movement, route, the mass of the vehicle in running order, traffic, weather and other conditions that affect fuel consumption. Real fuel consumption may be different from the figures above.

Appearance and specifications are subject to change without notice. Availability of products should be checked with local Toyota sales network. No part of this publication may be reproduced, without prior written permission from Toyota Caucasus LLC.


Note: vehicles and accessories pictured and their specifications detailed in this brochure may vary from models and equipment available in your area.

** Active safety systems such as T-Mate are designed to assist the driver. The systems do not replace driver awareness and responsibility. Since there might be recognition inaccuracy caused by some external factors, drivers should not rely on the system too much. Drivers must be attentive to surrounding objects and observe the precautions while driving. T-Mate exploitation may be interfered because of external factors and Toyota is not responsible/liable for any consequences arising from use of the system.

TOYOTA HIGHLANDER

PETROL

www.toyota-batumi.ge




SUFFIX	AD / AE	04 / 05
Engine	T24A-FTS	T24A-FTS
Transmission	AT	AT
Engine Type	TNGA 2.4L Turbo PTL	TNGA 2.4L Turbo PTL
Drivetrain	AWD	AWD
Displacement (cc)	2393	2393
Maximum output (hp)	249	249
Maximum torque	420	420
Number of cylinders	4 Cylinder, In Line	4 Cylinder, In Line
Max speed	180	180
Fuel tank	68	68
Fuel consumption (comb)	9	9.2
EXTERIOR		
Headlamps	lo grade led for eu	hi grade led for eu w/ahb
Headlamp cleaner	with	with
Front fog lamps	with combi sw led	with combi sw led
Light control system	light control system (3p)	light control system (3p)
Daytime running light system	with (without off switch led)	with (without off switch led)
Rear combination lamp	led (stop/tail)	led (stop/tail)
Rear fog lamp	with	with
Rear window defogger	with	with
Tire & disc wheel	235/65r18m	235/55r20m
Alloy wheels	with	with
Spare tyre	ground tire	ground tire
INTERIOR		
Seat Heater	with (driver & passenger)	with (d+p+rr1 bench)
Front seat adjuster	d:pwr 8wayp:pwr 8way	d:8 power memory, p:8 power
Second row seats	60:40 bench	60:40 bench
Third row seats	with	with
Seat material	synthetic leather (lo)	leather (plt)
Seat airconditioner	without	with (driver and passenger)
Seat lumbar support	with d (power)	with d (power)
COMFORT		
Multi info display	hi-color 7inch in meter	with (12.3 full tft)
Steering wheel	3-spoke,leather,heater	3-spoke,leather,heater
Steering column	manual tilt and telescopic/ manual with steering lock as of 202209	manual tilt and telescopic/ manual with steering lock as of 202209
Cruise Control	with (normal cc)	with acc, all speed
Outside rear view mirror	auto retract + htr + bsm	auto retract +htr+b- sm+mem+p. lamp+pvm
Front air conditioner	auto 2 zone sf	auto 2 zone sf
Rear air conditioner	auto	auto
Back monitor	with bgm camera	panoramic view monitor

SUFFIX	AD / AE	04 / 05
Starting System	push	push
Wireless charger	without	with
Tyre inflation pressure warning	with auto location	with auto location
MULTIMEDIA		
Audio system	+	JBL
Audio system monitor	8" t1	12.3" t2
Speakers	6sp	jbl11sp
Audio Jack	w/ usb	w/ usb
Accessory connector	12v*2, charge-usb*2	12v*2, charge-usb*2
OFFROAD		
Hill Assist Control (HAC)	hac3 + dac	hac3 + dac
Rear Differential	single-c	twin-c
SAFETY / T-MATE **		
Safety Sense	without	tss 2.5
Adaptive Cruise Control (ACC)	with (normal cc)	with acc, all speed
SRS airbag	d, dual-p, side, csa, d-knee, ro	d, dual-p, side, csa, d-knee, ro
Lane Keep Assist (LKA)	without	with (lta)
Lane Change Assist	bsm (long)	bsm (long)
Vehicle Stability Control (VSC)	with	with
ABS	with	with





ტოიოტა ცენტრი ბათუმი
 ბათუმი, ი. გაგარინის ქ. N1
 +995 0422 24 60 06
 www.toyota-batumi.ge



* ეს მონაცემები მიღებულია იდეალურ პირობებში ჩატარებული ტესტის შედეგად. მონაცემებზე განსაკუთრებით კი სანჯავის ხარვე გაელენას ასდენს და ცვლის მართვის ესა და თუ ის მანერა, სანჯავის ხარისხი, მოძრაობის რეჟიმი, მარშრუტი, დაბეჯითული ავტომატის წონა, გზის მდგომარეობა, ამინდი და ა.შ. შესაბამისად, სანჯავის რეალური ხარვე შეიძლება განსხვავდებოდეს ცხრილში მოცემულისგან. ინტერირის იერსახე და ტექნიკური მახასიათებლები შეიძლება იყოს შეცვლილი. პროდუქციის ხელმისაწვდომობა უნდა შემოწმდეს Toyota-ს ადგილობრივ ცენტრში. ამ პუბლიკაციის რაიმე ნაწილის რეპროდუქცია "Toyota Caucasus LLC"-ის წინასწარი წერილობითი თანხმობის გარეშე აკრძალულია. შენიშვნა: ამ ბროშურაში გამოყენებული ფოტოები და ტექნიკური მახასიათებლები შეიძლება განსხვავდებოდეს თქვენს რეგიონში ხელმისაწვდომი პროდუქციისგან.
 ** აქტიური უსაფრთხოების სისტემა, როგორცაა მაგალითად Toyota Safety Sense სისტემა, შექმნილია ტარების პროცესში მძღოლის დახმარებლად. ვინაიდან გარე ფაქტორების ზემოქმედების გამო ყოველთვის არსებობს ალბათობა, რომ დამხმარე სისტემების მშვეობით ვითარება ზუსტად ვერ იყოს აღქმული, მძღოლის მხრიდან არ უნდა ხდებოდეს რეაქტივის მთლიანად მინდობა აღნიშნულ სისტემებზე.
 მძღოლი მუდმივად უნდა აკონტროლებდეს ვითარებას ავტომატის გარეშე და იცავდეს უსაფრთხოების ყველა ზომას.
 Toyota Safety Sense-ის ფუნქციონირება შესაძლოა შეფერხდეს იქნას გარკვეული გარე ფაქტორების ზემოქმედებით და შესაბამისად Toyota არ აგებს პასუხს სისტემის გამოყენებასთან დაკავშირებულ შედეგებზე.



TOYOTA HIGHLANDER

HYBRID


www.toyota-batumi.ge



სუფიქსი	A8 /A9	1A / 1B	1C /1D	PS / PT	PU / PV
კომპლექტაცია	საშუალო	მაღალი	მაღალი	პრემიუმი	პრემიუმი
ძრავი	A25A-FXS	A25A-FXS	A25A-FXS	A25A-FXS	A25A-FXS
გადაცემათა კოლოფი	CVT	CVT	CVT	CVT	CVT
ძრავის ტიპი	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i
ტრანსმისია	4X4	4X4	4X4	4X4	4X4
ძრავის მოცულობა (სმ ³)	2487	2487	2487	2487	2487
საწვავის ტიპი / ემისიის დონე	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6
ჰიბრიდული კომბინირებული სიმძლავრე (ცხ.დ.)	248	248	248	248	248
მაქსიმალური ბრუნვის მომენტი	233	233	233	233	233
ცილინდრების რაოდენობა	4 ცილინდრი	4 ცილინდრი	4 ცილინდრი	4 ცილინდრი	4 ცილინდრი
მაქსიმალური სიჩქარე	180	180	180	180	180
საწვავის ავზის ტევადობა	65	65	65	65	65
ექსტერიერი					
ფარები	+	+	+	+	+
ფარების საწმენდი	-	+	+	+	+
წინა ნისლსაწინააღმდეგო მაშუქები	+	+	+	+	+
სინათლის კონტროლის სისტემა	+	+	+	+	+
დღის განათების სისტემა	+	+	+	+	+
კომბინირებული უკანა მაშუქები	+	+	+	+	+
ნისლსაწინააღმდეგო უკანა ფარები	+	+	+	+	+
უკანა ფანჯრის დაორთქვლის საწინააღმდეგო სისტემა	+	+	+	+	+
საბურავი	235/65r18m	235/55r20m	235/55r20m	235/55r20m	235/55r20m
ალუმინის დისკები	+	+	+	+	+
სათადარიგო საბურავი	+	+	+	+	+
ინტერიერი					
სავარძლის გათბობა	+	+	+	+	+
წინა სავარძლის რეგულატორი	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია	მძღოლის 8 პოზიცია ავტომატური; მგზავრის 8 პოზიცია
მეორე რიგის სავარძლები	60:40:00	60:40:00	60:40:00	60:40:00	60:40:00
მესამე რიგის სავარძლები	+	+	+	+	+
სავარძლის მასალა	სინთეტიკური ტყავი	ტყავი (ltd)	ტყავი (ltd)	ტყავი (plt)	ტყავი (plt)
სავარძლის კონდიციონერი	-	-	-	+	+
სავარძლის წელის საყრდენი	+	+	+	+	+
კომფორტი					
მულტი ინფორმაციული დისპლეი	+	+	+	+	+
საჭე	3 ქიმიანი, ტყავით და გათბობით	3 ქიმიანი, ტყავით და გათბობით	3 ქიმიანი, ტყავით და გათბობით	3 ქიმიანი, ტყავით და გათბობით	3 ქიმიანი, ტყავით და გათბობით
საჭის სვეტი	მექანიკური, დახრის ფუნქციით და ტელესკოპური	მექანიკური, დახრის ფუნქციით და ტელესკოპური	მექანიკური, დახრის ფუნქციით და ტელესკოპური	მექანიკური, დახრის ფუნქციით და ტელესკოპური	მექანიკური, დახრის ფუნქციით და ტელესკოპური
კრუიზ კონტროლი	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე	ადაპტირებადი კრუიზ კონტროლი/ ყველა სიჩქარეზე
უკანა ხედვის გარე სარკე	+	+	+	+	+

სუფიქსი	A8 /A9	1A / 1B	1C /1D	PS / PT	PU / PV
კომპლექტაცია	საშუალო	მაღალი	მაღალი	პრემიუმი	პრემიუმი
წინა კონდიციონერი	ავტომატური	ავტომატური	ავტომატური	ავტომატური	ავტომატური
უკანა კონდიციონერი	ავტომატური	ავტომატური	ავტომატური	ავტომატური	ავტომატური
უკანა მონიტორი	+	+	+	+	+
დაქოქვა	ლილაკით	ლილაკით	ლილაკით	ლილაკით	ლილაკით
უსადენო დამტენი	+	+	+	+	+
საბურავის წნევის ინდიკატორი	+	+	+	+	+
მულტიმედია					
აუდიო სისტემა	+	JBL	JBL	JBL	JBL
აუდიო სისტემის მონიტორი	8" t1	12.3" t2	12.3" t2	12.3" t2	12.3" t2
დინამიკები	6	11	11	11	11
აუდიო ჯეკი	usb	usb	usb	usb	usb
აქსესუარების მათრებელი	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2
უზვოობა					
ალმართზე დაძვრის დამხმარე სისტემა (HAC)	+	+	+	+	+
უკანა დიფერენციალი	e-four	e-four	e-four	e-four	e-four
უსაფრთხოება / T-MATE **					
უსაფრთხოების სისტემები	tss 2.5	tss 2.5	tss 2.5	tss 2.5	tss 2.5
ადაპტირებადი კრუიზ-კონტროლი (ACC)	+	+	+	+	+
SRS უსაფრთხოების ბალიშები	+	+	+	+	+
ზოლის შენარჩუნების დამხმარე სისტემა (lka)	+	+	+	+	+
ზოლის შეცვლის დამხმარე სისტემა	+	+	+	+	+
ავტომობილის სტაბილურობის კონტროლის სისტემა (VSC)	+	+	+	+	+
ABS	+	+	+	+	+





TOYOTA CENTER BATUMI
 1 Y. Gagarin Str. Batumi
 +995 0422 24 60 06
www.toyota-batumi.ge



* These data were obtained under ideal conditions, excluding the effect of driving behavior, fuel used, mode of movement, route, the mass of the vehicle in running order, traffic, weather and other conditions that affect fuel consumption. Real fuel consumption may be different from the figures above.
 Appearance and specifications are subject to change without notice. Availability of products should be checked with local Toyota sales network. No part of this publication may be reproduced, without prior written permission from Toyota Caucasus LLC.
 Note: vehicles and accessories pictured and their specifications detailed in this brochure may vary from models and equipment available in your area.
 ** Active safety systems such as T-Mate are designed to assist the driver. The systems do not replace driver awareness and responsibility. Since there might be recognition inaccuracy caused by some external factors, drivers should not rely on the system too much. Drivers must be attentive to surrounding objects and observe the precautions while driving. T-Mate exploitation may be interfered because of external factors and Toyota is not responsible/liable for any consequences arising from use of the system.



TOYOTA HIGHLANDER

HYBRID

www.toyota-batumi.ge



SUFFIX	A8 /A9	1A / 1B	1C /1D	PS / PT	PU / PV
Engine	A25A-FXS	A25A-FXS	A25A-FXS	A25A-FXS	A25A-FXS
Transmission	CVT	CVT	CVT	CVT	CVT
Engine Type	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i	TNGA 2.5L HV AWD-i
Drivetrain	AWD-i	AWD-i	AWD-i	AWD-i	AWD-i
Displacement (cc)	2487	2487	2487	2487	2487
Fuel Type / Emission level	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6
Hybrid combined output (hp)	248	248	248	248	248
Maximum torque	233	233	233	233	233
Number of cylinders	4 Cylinder, In Line	4 Cylinder, In Line	4 Cylinder, In Line	4 Cylinder, In Line	4 Cylinder, In Line
Max speed	180	180	180	180	180
Fuel tank	65	65	65	65	65

EXTERIOR					
Headlamps	lo grade led for eu with ahb	hi grade led for eu w/ahb	hi grade led for eu w/ahb	hi grade led for eu w/ahb	hi grade led for eu w/ahb
Headlamp cleaner	without	with	with	with	with
Front fog lamps	with combi sw led	with combi sw led	with combi sw led	with combi sw led	with combi sw led
Light control system	light control system (3p)	light control system (3p)	light control system (3p)	light control system (3p)	light control system (3p)
Daytime running light system	with (without off switch led)	with (without off switch led)	with (without off switch led)	with (without off switch led)	with (without off switch led)
Rear combination lamp	led (stop/tail)	led (stop/tail)	led (stop/tail)	led (stop/tail)	led (stop/tail)
Rear fog lamp	with	with	with	with	with
Rear window defogger	with	with	with	with	with
Tire & disc wheel	235/65r18m	235/55r20m	235/55r20m	235/55r20m	235/55r20m
Alloy wheels	with	with	with	with	with
Spare tyre	ground tire	ground tire	ground tire	ground tire	ground tire

INTERIOR					
Seat Heater	with (driver & passenger)	with (driver & passenger)	with (driver & passenger)	with (d+p+rr1 bench)	with (d+p+rr1 bench)
Front seat adjuster	d:pwr 8way:pwr 8way	d:8 power memory, p:8 power	d:8 power memory, p:8 power	d:8 power memory, p:8 power	d:8 power memory, p:8 power
Second row seats	60:40 bench	60:40 bench	60:40 bench	60:40 bench	60:40 bench
Third row seats	with	with	with	with	with
Seat material	synthetic leather (lo)	leather (ltd)	leather (ltd)	leather (plt)	leather (plt)
Seat airconditioner	without	without	without	with (driver and passenger)	with (driver and passenger)
Seat lumbar support	with d (power)	with d (power)	with d (power)	with d (power)	with d (power)

COMFORT					
Multi info display	hi-color 7inch in meter	with (12.3 full tft)	with (12.3 full tft)	with (12.3 full tft)	with (12.3 full tft)
Steering wheel	3-spoke, leather, heater	3-spoke, leather, heater	3-spoke, leather, heater	3-spoke, leather, heater	3-spoke, leather, heater
Steering column	manual tilt and telescopic/ manual with steering lock as of 202209	manual tilt and telescopic/ manual with steering lock as of 202209	manual tilt and telescopic/ manual with steering lock as of 202209	manual tilt and telescopic/ manual with steering lock as of 202209	manual tilt and telescopic/ manual with steering lock as of 202209
Cruise Control	with acc, all speed	with acc, all speed	with acc, all speed	with acc, all speed	with acc, all speed
Outside rear view mirror	auto retract + htr + bsm	autoretrabl + heater+bsm+mem+p. lamp	autoretrabl+ heater+bsm+mem+p. lamp	auto retract +htr+bsm+mem+p. lamp+pvm	auto retract +htr+bsm+mem+p. lamp+pvm
Front air conditioner	auto 2 zone sf	auto 2 zone sf	auto 2 zone sf	auto 2 zone sf	auto 2 zone sf
Rear air conditioner	auto	auto	auto	auto	auto
Back monitor	back monitor with line	with bgm camera	with bgm camera	panoramic view monitor	panoramic view monitor

კომპლექციები	A8 /A9	1A / 1B	1C /1D	PS / PT	PU / PV
Starting System	push	push	push	push	push
Wireless charger	with	with	with	with	with
Tyre inflation pressure warning	with auto location	with auto location	with auto location	with auto location	with auto location
MULTIMEDIA					
Audio system	+	JBL	JBL	JBL	JBL
Audio system monitor	8" t1	12.3" t2	12.3" t2	12.3" t2	12.3" t2
Speakers	6sp	jbl11sp	jbl11sp	jbl11sp	jbl11sp
Audio Jack	w/ usb	w/ usb	w/ usb	w/ usb	w/ usb
Accessory connector	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2	12v*2, charge-usb*2
OFFROAD					
Hill Assist Control (HAC)	with (hac3)	with (hac3)	with (hac3)	with (hac3)	with (hac3)
Rear differential	e-four	e-four	e-four	e-four	e-four
SAFETY / T-MATE **					
Safety Sense	tss 2.5	tss 2.5	tss 2.5	tss 2.5	tss 2.5
Adaptive Cruise Control (ACC)	with acc, all speed	with acc, all speed	with acc, all speed	with acc, all speed	with acc, all speed
SRS airbag	d, dual - p, sd, csa, knee	d, dual - p, sd, csa, knee	d, dual - p, sd, csa, knee	d, dual - p, sd, csa, knee	d, dual - p, sd, csa, knee
Lane Keep Assist (LKA)	with (lta)	with (lta)	with (lta)	with (lta)	with (lta)
Lane Change Assist	bsm (long)	bsm (long)	bsm (long)	bsm (long)	bsm (long)
Vehicle Stability Control (VSC)	vdim	vdim	vdim	vdim	vdim
ABS	with	with	with	with	with

